

SIMPLY THE BEST ECO-FRIENDLY CLEANING SOLUTIONS

MANUFACTURERS
AND MARKETERS OF
ENVIRONMENTALLY FRIENDLY,
PREMIUM-QUALITY INDUSTRIAL
CLEANING PRODUCTS IN
SOUTHERN AFRICA.



161/2 MORKEL AVENUE, ALRODE SOUTH,
EXT 1, 1450, GAUTENG, SOUTH AFRICA
TEL: (011) 868 1139/30/61
EMAIL: SALES@FINEORGANICS.CO.ZA
SALES: 083 468 9088/082 897 7178

PRODUCTS

ENVIROSOLVE CLEANERS & DEGREASERS

FO 655 PRECISION CLEAN (ECD) 5I+25I This second-generation electrical cleaner is fully environmentally friendly and meets the standards established by the Montreal Protocol as well as the OHS 84 of 1993. Designed as a non-aqueous, medium to fast drying solvent alternative to traditional chlorinated and fluorinated cleaners, this product contains no chlorinated solvents. Suitable primarily for cleaning electric motors and electrical equipment. Applications: Spray, wipe and tank immersion.	FO 650 MEGACLEAN (MCD) 5I+25I A water-based, heavy-duty solvent formulation composed of biologically compatible solvents, surfactants, dispersants and alkaline builders. It has been specifically engineered to effectively dissolve and remove challenging industrial soils. Suitable for mechanical components. Applications: Spray, wipe and tank immersion.
FO 653 FLEXICLEAN (MCD) 5I+25I A water-based, medium-duty formulation utilizes environmentally responsible solvents, surfactants, dispersants and alkaline builders, engineered to effectively eliminate various light soils. Suitable for mechanical components and machinery. Applications: Spray, wipe and tank immersion.	FO 651 DEEPCLEAN (MCD) 5I+25I A penetrating solvent cleaner is formulated to effectively liquify, lift and enable water rinsing of even the most substantial accumulations of grease, lubricants and petroleum-based oils. Suitable for mechanical components and machinery. Applications: Spray, wipe and tank immersion.
FO 654 CARBOCLEAN (MCD) 5I+25I A heavy-duty, biodegradable cleaner designed to remove carbon deposits from painted and metal surfaces. Suitable for cleaning engines and tank immersion emissions. Applications: Tank immersion.	FO 652 TECHNICLEAN (MCD) 5I+25I A non-aqueous dielectric solvent formulated for precise cleaning and maintenance of metal components. This product serves as an alternative to chlorinated and fluorinated cleaners, enhancing operational efficiency and minimizing waste. Suitable for removing oils, grease and metal work fluids. Applications: Ultrasonic, Spray and tank immersion.

ELECTRICAL CLEANERS & DEGREASERS

FO 128 (ECD) Aerosol-400g+5I+20I+25I+200I A premium electrical cleaner specifically developed to serve as an alternative to highly toxic and flammable solvents, formulated in compliance with SABS (SANS) 1365 standards. This product is a medium-drying solvent degreaser containing chlorinated hydrocarbons, featuring a high flash point and low toxicity. Suitable for cleaning electrical motors, switchgears, electrical panels and equipment. Applications: paintbrush, wipe, spray and tank immersion.	FO 371 (ECD) Aerosol-400g+5I+20I+25I+200I An electrical contact degreaser, penetrant, rust preventative lubricant. Suitable for padlocks, bolts, nuts, gate rails and tools. Applications: Spray, Aerosol, wipe and tank immersion.
FO 352 (ECD) 5I+20I+25I+200I A quick safe degreaser is a fast-drying non-flammable non-corrosive solvent. Suitable for components and mechanical degreasing. Applications: Spray and wipe.	IMP (ECD) 5I+20I+200I This is a blended formulation specifically developed for the mining industry, featuring a medium drying period. Suitable for cleaning mining and electrical equipment. Applications: Spray and wipe.
New Electrical Cleaner (ECD) 5I+20I+200I A fast drying, high flash point, chlorinated, light version electrical cleaner. Suitable for motors, panels and switchgears. Applications: Spray, wipe and tank immersion.	EC3 (ECD) 5I +25I +200I This fast-drying cleaner, characterised by a high flashpoint, provides improved user convenience relative to Type 7 cleaners. It is fully compliant with SABS 1365 Type 3 standards. Suitable for degreasing electrical components. Applications: Spray and wipe.



ELECTRICAL CLEANERS & DEGREASERS

EC5 (ECD)

5l+25l+200l

This product is a non-flammable, non-corrosive, fast-drying solvent-based electrical cleaner and degreaser. It complies with the specifications outlined in SABS 1365 Type 3.

Suitable for degreasing electrical components.

Applications: Spray and wipe.

SOLVENT UTC (ECD)

5l+25l+200l

This electrical cleaning solvent features a high flash point, is corrosion-free exhibits low toxicity. It offers medium drying capability and contains no methylene chloride. The product is formulated to prevent contamination.

Suitable for agricultural machinery such as tobacco farming.

Applications: Spray and wipe

ELECTRO-MECHANICAL DEGREASER

BC SOLVENT (EMCD)

5l+25l+200l

This solvent, derived from petroleum, offers broad versatility. Its formulation ensures compatibility with polymers and rubber materials, preventing any adverse effects on these substances.

Suitable for degreasing machinery and oil-based paints from surfaces.

Applications: Brush

ELECTRONICS

PC 402 (ECD)

4kg+15kg

An ozone friendly, freon free, alcohol based electrical cleaner.

Suitable for precision cleaning electronic components, small and large circuit boards and instruments.

Applications: Spray, wipe and tank immersion

FO 400H (ECD)

4kg+15kg

Suitable for precision surface cleaning operations of hi- tech equipment and ultrasound devices.

Applications: Spray, wipe and tank immersion.

FO 401T (ECD)

4kg+15kg

Flux Remover. This product is a rapid-evaporating, colourless liquid characterized by a mild ethereal scent.

Suitable for precision cleaning of electronic assemblies targeting soils such as resins and fluxes.

Applications: Spray, wipe and tank immersion.

MECHANICAL HEAVY-DUTY, WATER-BASED CLEANERS & DEGREASERS

FO 446 (MCD)

5l+25l+200l+1 000l

An alkaline, heavy-duty, concentrated and biodegradable degreasing compound for floors, paving and concrete applications. Handle responsibly.

Suitable for use with brush, steam, high-pressure cleaner and spray equipment. **When diluted, it is particularly effective for cleaning tarpaulins.**

Applications: Spray and wipe.

FO 537A (MCD)

5l+25l+200l

A fully biodegradable, water-based, heavy-duty, non-flammable degreaser introduced to compete against general purpose higher priced solvent degreasers. Power must be disconnected.

Suitable for cleaning **painted floors, lathes, industrial saws and computer numerical control machines.**

Applications: Spray, wipe and tank immersion.

HD CLEANER (MCD)

High foam+25l+200l

A non-flammable, water-dilutable, heavy-duty degreaser designed for direct application or dilution up to a ratio of 1:200.

Suitable for application in the **food industry**. Demonstrates **high efficacy** in the removal of **animal fats and greases on floors**.

Applications: Spray, wipe, mop and high foam.

MECHANICAL MEDIUM DUTY, WATER-BASED CLEANERS & DEGREASERS

GP CLEANER (MCD)

5l+25l+210l

This is a highly concentrated, medium duty, yellow, biodegradable, water based general-purpose cleaner that contains no petroleum distillates or toxic components and has no flash point. Recommended dilution is 1:10.

Suitable for **cleaning workshops and warehouse floors**.

Applications: Spray and wipe.

MECHANICAL HEAVY -DUTY, SOLVENT CLEANERS & DEGREASERS

GFC DEGREASER (MCD)

5l+25l+200l

A heavy-duty solvent emulsion degreaser, manufactured in accordance with SABS 1216 Type 1 specifications.

Suitable for cleaning **heavily soiled mechanical components**.

Applications: Spray, wipe and tank immersion.

ECONOCLEAN BLUE (MCD)

5l+25l+200l

This heavy-duty, mechanical degreaser is an emulsion-based solvent with a high flashpoint, specifically formulated to comply with SABS 1216 Type 2 standards.

Suitable for **underground mining applications primarily**.

Applications: Spray, wipe and tank immersion.

FP Solvent (MCD)

5l+25l+200l

A solvent-based cleaning agent designed for optimal performance on graphite surfaces. It effectively emulsifies contaminants and ensures no residual slipperiness remains.

Suitable for effectively removing graphite lubricants used in the hot forging industry.

Applications: Spray and high-pressure washers.






METAL TREATMENT			
COPPER CLEANER & BRIGHTENER	5l+25l	ALUMINIUM CLEANER & BRIGHTENER	4kg+15kg
Cleans and brightens copper, brass, copper alloys, prevents tarnishing. Applications: Brush, wipe and tank immersion.		Cleans and brightens aluminium alloys, prevents tarnishing. Applications: Brush, wipe and tank immersion.	
STAINLESS STEEL CLEANER & BRIGHTENER	5l+25l	GALV PREP	5l+25l
Cleans and shines products manufactured from stainless steel. Applications: Brush, wipe and tank immersion.		Rust remover, cleaner and pre-paint treatment for galvanised iron. Applications: Brush, wipe and tank immersion.	
FO 190 RUST REMOVER			5l+25l
Heavy duty rust remover, metal cleaner and surface pre-paint conditioner. Complies with MIL-M-12207. Applications: Brush, wipe and tank immersion.			

SPECIALISED CLEANERS			
BIO SOLV	5l+25l	FO 700 Solar Panel Cleaner	5l+25l
This liquid detergent disinfectant is formulated for cleaning stainless steel tanks in industrial areas prone to fungal contamination. It conforms to SABS 639/1974 and carries the SABS certification mark. Suitable for stainless steel tanks. Applications: Brush and wipe.		An Environmentally friendly, biodegradable, water – based, non- toxic cleaner designed to restores Solar panel efficiency while ensuring a streak free finish. Suitable for the effective removal of dust, bird droppings and airborne soils off small and industrial Solar panels. Applications: Spray, sponge and wipe	
FO 701 Industrial Glass Cleaner	5l+25l	ALKALINE POWER CLEANER	5l+25l+200l
This biodegradable, water-based Industrial Glass Cleaner is formulated to safely and effectively remove light to medium soil from surfaces. The product ensures systematic cleaning and delivers a streak-free finish. Suitable for the cleaning and restoring of Industrial & Domestic Glass. Applications: Spray, sponge and wipe.		This product is a safe, effective, high-pH alkaline cleaner that offers cost efficiency. Specifically formulated to break down heavy-duty oil, grease and carbon black soils and is suitable for repeated use on conventionally painted surfaces. Suitable primarily for concrete, asphalt aprons, ramps, factory and garage surfaces. Applications: Scrub with a hard broom and rinse thoroughly.	
FO 497 (MCD)	25l+200l	BRICK & CEMENT CLEANER	5l+25l
The alkaline steam cleaner utilises low-moisture heat to effectively dissolve grease on sensitive electronic components. It offers advantages over pressure washing in eliminating contaminants from confined areas, minimising fire hazards, facilitating leak detection and preventing corrosion. It is not recommended for use with aluminium alloys. Suitable for use in all modern pressure units and detailed cleaning. Steam can reach into cracks, crevices and under-engine areas that brushes cannot reach. Applications: Steam cleaner.		This product is a concentrated, acid-based biodegradable cleaner formulated to effectively remove mortar, cement residue and efflorescence. It should be used carefully according to the recommended guidelines. Suitable for cleaning cement splashings, slops and trailing from bricks, windowsills, water meters and floors. Applications: Stiff brush. Soak with water first, before applying acid and rinse thereafter.	

DECARBONISERS			
FO286 A COLD TANK IMMERSION CARBON REMOVER	25l+200l	FO 268 A HOT TANK IMMERSION CARBON REMOVER	20l+200l
The cold tank immersion process is specifically engineered to remove carbonised deposits and efficiently strips paint and enamel from a variety of surfaces. This method does not negatively impact aluminium or magnesium alloys. The procedure utilizes a two-phase system and optimal performance is achieved when the full volume is employed. Suitable for cleaning engine blocks, fuel pumps, pistons and carburettors. Application: Tank immersions.		This product is a highly effective carbon removal compound, meticulously formulated with grease solvents, penetrating agents, surface-active components and corrosion inhibitors. It is fully water-soluble, which prevents streaking during application. The compound is compatible with aluminium, copper, brass, bronze, steel and magnesium, ensuring safe and reliable use across these materials. Suitable for cleaning diesel engine blocks, pistons, valves, rings, connecting rods, fuel heaters and oil coolers. Applications: Tank immersion.	

POWDERS			
CEMFLOOR CLEAN	25kg+200kg	TANK IMMERSION CLEANER	5kg+25kg
A fully soluble cement floor cleaning powder that is free of caustic substances and safe for use on soft metals. Suitable for effective cleaning of stains, general and deep cleaning of cement floors. Applications: Scrub, high-pressure washers, steam cleaners for large surfaces and tank immersions.		This caustic-based solution is designed for immersion cleaning in hot soak tanks, with recommended concentrations ranging from 5% to 25% when mixed with water. It should be used carefully according to the recommended guidelines. Suitable primarily for steel components. Applications: Tank immersion.	





TRANSPORT AND AUTOMOTIVE

FO 300 (MCD) 5l+20l+200l Engine Cleaner. This premium, concentrated, fully emulsifiable, heavy-duty, biodegradable cleaner is formulated for optimal performance. It is not harsh on most polymer paint surfaces. Suitable for cleaning in power generation and industrial construction equipment and vehicles. Applications: Spray, wipe and tank immersion.	CEMENCO ANTIFREEZE & SUMMER COOLANT 5l+25l This product is formulated to comply with SABS 1251-1979 for vehicle engine cooling protection. Recommended for usage in undiluted form only. Suitable for vehicle engines. Applications: Decant into coolant reservoir.
DS FLUID 5l + 25l Inhibited descaling fluid for removing rust & water deposited scales. Recommended for diluted form usage only. Suitable for industrial geysers and boilers. Applications: Steam cleaner.	TARSOL 5l+25l A tar remover & solvent designed for bitumen-based applications. Suitable for degreasing of tarring vehicle nozzles. Applications: Tank immersion and stiff brush.
CAR WASH & SHAMPOO 5l + 25l This concentrated multipurpose cleaning solution is engineered to efficiently remove substantial tar stains. Once dirt is loosened, it remains suspended within the foam to prevent redeposition. The product is suitable for both interior and exterior use. A dilution ratio of 1:200 is recommended. Suitable for use in automatic car wash systems and mopping equipment and manual cleaning. Applications: Sponge, wipe and high-pressure washer.	CARPET SHAMPOO 5l + 25l This carpet cleaner is a highly concentrated formulation designed for deployment with carpet shampooing equipment or manual application by working the solution into foam. Apply to the carpet, brush to dislodge soil, allow to dry and subsequently vacuum. Standard dilution recommendation is 1:100. Suitable particularly for commercial, vehicle and household carpets. Applications: Brush and vacuum.

HYGIENE

CHEMPEARL 5l+25l This is a premium, pearly pink liquid toilet soap formulated with high-quality cosmetic ingredients. Suitable for hand washing, hair shampoo, clothes, fabric and synthetic interiors of cars. Applications: Dispensers.	AMA BLU BLUE 5l+ 25l A creamy blue, waterless hand cleaner used for removing a variety of soils with the aid of dissolving chemicals beads. Contains anti-septic agents and moisturisers. Highly effective for removal of animal, vegetable and mineral oil from the users' hands. It prevents the blockage of drains. Suitable for environments with limited water. Applications: Hand wash.
COCOSAN 1l+5l+25l An anti-bacterial liquid toilet soap compounded with coconut oil. Suitable for handwashing. Applications: Dispensers.	CEMDET DISHWASHER 750l+ 5l+25l This is a biodegradable general-purpose liquid detergent suitable for hand dishwashing and light-duty cleaning. Formulated in accordance with SABS 825 and compliant with SATS specifications. Suitable particularly for dish washing. Applications: Sponge and brush.
MULTI-PURPOSE DETERGENT 5l+25l An environmentally friendly, neutral general-purpose detergent designed for cleaning all surface types, with recommended dilution ratios ranging from 1:5 to 1:20 for light soil applications. Suitable for countertops, appliances and floors. Applications: Sponge, brush and wipe.	

SANITATION

TOILET CLEANER 5l+25l An acidic, eco-friendly cleaner formulated to eliminate bacteria, remove stains, limescale and rust. Suitable for bowls and urinals. Application: Brush.	SANDOCIDE 5l+25l This deodoriser and disinfectant, designed specifically for chemical toilets, offers exceptional efficacy without the inclusion of formalin. Suitable for Chemical toilets. Application: Decant into pan.
SANDO 5l+25l A specialised formulation, of blue deodoriser & disinfectant designed specifically for chemical toilets. It effectively preserves biological processes without causing disruption. Suitable for Chemical toilets. Applications: Decant into pan.	SANDO PLUS 5l+25l A formalin-based disinfectant with ultra-high strength designed for concentrated application in portable or pit toilets offering reduced dosing frequency. Suitable for Chemical and pit toilets. Application: Decant into pan.





DISINFECTANTS			
GENESAN	5I+25I	STERAGEN	5I+25I
This is a general-purpose yellow disinfectant and sanitiser. It conforms to SABS 636/1974 and complies with SANS specifications. Suitable for disinfectant for all surfaces. Applications: Spray, brush and wipe.		A powerful green disinfectant and deodorant formulated for challenging environments. Suitable specifically for use for high volume toilets and ablution blocks. Applications: Brush and mop	
EX-ODOUR	5I+25I	BACTOL	5I+25I
A product that acts as both a disinfectant, sanitiser and provides deodorising properties. A specialised formulation for application in subterranean environments, making it particularly appropriate for acclimatised stations at mines. Suitable for household toilets, portable and chemical toilets, drains and dog kennels. Applications: Spray, wipe and decant into pan.		A black-type, phenolic-based disinfectant designed for general purpose applications. Suitable particularly for use in dustbins, sewers and similar environments. Applications: Brush and decant into pan.	

RAW MATERIALS

We supply various raw materials, some of these are as follows:
Sodium Carbonate Light • Sodium Carbonate Dense • Coarse Salt
Potassium Hydroxide • Sodium Chloride • Calcium Hyperchloride HTH
• Spirits of Salts (Hydrochloric Acid) • Ammonia Solution
• Sodium Hydroxide • Tetrachloroethylene

WHY FINE ORGANICS CHEMICALS

- A true BEE Black Owned and Black Managed Enterprise
- Field Proven Products
- Providing Tailored Solutions
- Over 50 Years in Existence

WEBSITE: WWW.FINEORGANICS.CO.ZA

